

Caring for your dog during treatment with STELFONTA® (tigilanol tiglate injection)

Tips and advice to help you care for your dog during their STELFONTA® treatment.

- Timely reminders to administer essential concomitant medications, prescribed by your veterinarian
- What to expect in the hours and days following the treatment
- How to care for the tumor site at home, following sloughing of the tumor
- ✓ When to contact your veterinarian for support

Sign up for the free STELFONTA support email series at stelfonta.com/email-support-program







MAST CELL TUMOR
WAS HERE

IMPORTANT SAFETY INFORMATION

Wear disposable gloves when cleaning the treated tumor site to avoid contact with any residual drug. Thoroughly wash your skin that comes in contact with the treated tumor site, wound, or wound discharge. Ensure your dog receives their prescribed medications to decrease the potential for severe, life-threatening adverse reactions. Monitor your dog during the healing process, discourage licking for the first few days, and contact your veterinarian if you notice excessive pain, lameness, tiredness, refusal to eat for more than one day, repeated vomiting or diarrhea, trouble breathing, changes to the treated tumor site (including increased or excessive swelling or bruising, extensive wound formation, increased irritation) or any other symptoms that concern you. For full prescribing information, contact Virbac at 1-800-338-3659 or visit www.stelfonta.com/insert